

Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 1: IDENTIFICATION

1.1 GHS Product identifier: SURE-SETTM ACR part B

Other means of identification:

Not applicable (N/A

1.2 Recommended use of the chemical and restrictions on use:

Relevant uses: Adhesive for construction. For professional users/industrial user only.

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party:

Aerosmith Fastening System

5621 Dividend Road, Indianapolis, Indiana 46241

Tel: 800.528.8183 Fax: 317.390.6980

email:info@aerosmithfastening.com www.aerosmithfastening.com

1.4 Emergency phone number: Chemtrec:703-527-3887 (Outside USA).

1.4 Emergency phone number: Chemtrec: 1-800-424-9300 (Within Continental (USA);

SECTION 2: HAZARD(S) IDENTIFICATION

2.1 Classification of the substance or mixture:

This product contains less than 1% respirable crystalline silica, so it does not require classification

29 CFR 1910.1200:

Classification of this product has been carried out in accordance with paragraph (d) of § 1910.1200.

Carc. 2: Carcinogenicity, Category 2, H351 Eye Irrit. 2A: Eye irritation, Category 2A, H319 Skin Sens. 1: Sensitisation, skin, Category 1, H317

2.2 Label elements:

29 CFR 1910.1200:

Warning





Hazard statements:

Carc. 2: H351 - Suspected of causing cancer. Eye Irrit. 2A: H319 - Causes serious eye irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction.

Precautionary statements:

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333+P313: If skin irritation or rash occurs: Get medical advice/attention.

P501: Dispose of contents/ container in accordance with local/regional/national/international regulation.

Substances that contribute to the classification

Dibenzoyl peroxide; Carbon black

2.3 Hazards not otherwise classified (HNOC):

Not applicable (N/A)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances:

Non-applicable

3.2 Mixtures:

Chemical description: Mixture composed of additives, pigments and resins

- CONTINUED ON NEXT PAGE -

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 1/11



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Components:

Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200. Therefore, in accordance with Appendix D to § 1910.1200, the product contains:

	Identification	Chemical name/Classification	Concentration
CAS:	94-36-0	Dibenzoyl peroxide	10 - <15 %
CAS.	94-30-0	Eye Irrit. 2A: H319; Org. Perox. B: H241; Skin Sens. 1: H317 - Danger	10 - 110 /0
CAC.	1222 06 4	Carbon black	0.1 - <0.5 %
CAS:	1333-86-4	Carc. 2: H351 - Warning	0.1 - < 0.5 /6

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification		M-factor
Dibenzoyl peroxide	Acute	10
CAS: 94-36-0	Chronic	10

Identification	Specific concentration limit
	% (w/w) >=52: Org. Perox. B - H241 35<= % (w/w) <52: Org. Perox. D - H242

SECTION 4: FIRST-AID MEASURES

4.1 Description of necessary measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS of this product.

4.2 Most important symptoms/effects, acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of immediate medical attention and special treatment needed, if necessary:

Not applicable (N/A)

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 2/11



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 5: FIRE-FIGHTING MEASURES (continued)

5.2 Specific hazards arising from the chemical:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Special protective equipment and precautions for fire-fighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

As in any fire, prevent human exposure to fire, smoke, fumes or products of combustion. Only properly trained personnel should be involved in firefighting. Evacuate nonessential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

6.3 Methods and materials for containment and cleaning up:

For accidental releases in excess of reportables quantities (RQ) (Table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Center (800) 424-8802.

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Maximum Temp.: 86 °F

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):

Identification	Occupational exp	Occupational exposure limits		
Dibenzoyl peroxide	8-hour TWA PEL	5 mg/m³		
CAS: 94-36-0	Ceiling Values - TWA PEL			
Carbon black	8-hour TWA PEL	3.5 mg/m ³		
CAS: 1333-86-4	Ceiling Values - TWA PEL			

US. ACGIH Threshold Limit Values (2022):

Identification	Occupational exposure limits		
Dibenzoyl peroxide	TLV-TWA		5 mg/m³
CAS: 94-36-0	TLV-STEL		
Carbon black	TLV-TWA		3 mg/m³
CAS: 1333-86-4	TLV-STEL		

CALIFORNIA- TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:

Identification	Occupational exposure limits		
Dibenzoyl peroxide	PEL	5 mg/m³	
CAS: 94-36-0	STEL		
Carbon black	PEL	3.5 mg/m³	
CAS: 1333-86-4	STEL		

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

8.2 Appropriate engineering controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgment, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing use must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.

B.- Respiratory protection

Pictogram	PPE	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. Use respirator in accordance with manufacturer's use limitations and OSHA standard 1910.134 (29CFR)

C.- Specific protection for the hands

Pictogram	PPE	Remarks
Mandatory hand protection	Protective gloves against minor risks	Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional /industrial users, we recommend using chemical protection gloves. Use gloves in accordance with manufacturer

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. Use this PPE in accordance with manufacturer's use limitations and OSHA standard 1910.133 (29CFR)

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 4/11



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

E.- Bodily protection

Pictogram	PPE	Remarks
	Work clothing	Replace before any evidence of deterioration.
	Anti-slip work shoes	Replace before any evidence of deterioration.

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

40 CFR Part 59 (VOC):

V.O.C.(weight-percent): 0 % weight
V.O.C. at 68 °F: 0 kg/m³ (0 g/L)

California Air Resources Board (CARB) - VOC Regulatory:

V.O.C.(weight-percent): 0 % weight
V.O.C. at 68 °F: 0 kg/m³ (0 g/L)

South Coast Air Quality Management District (AQMD) - VOC Regulatory:

V.O.C.(weight-percent): 0 % weight V.O.C. at 68 °F: 0 kg/m 3 (0 g/L)

Ozone Transport Commission (OTC) Rules - VOC Regulatory:

V.O.C.(weight-percent): 0 % weight V.O.C. at 68 $^{\circ}$ F: 0 kg/m³ (0 g/L)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 68 °F:

Appearance:

Color:

Odor:

Solid

Paste

Black

Characteristic

Odour threshold: Not applicable (N/A) *

Volatility:

Boiling point at atmospheric pressure:

Vapour pressure at 68 °F:

Vapour pressure at 122 °F:

Evaporation rate at 68 °F:

Not applicable (N/A) *

Not applicable (N/A) *

Not applicable (N/A) *

*Not applicable (N/A) due to the nature of the product, not providing information property of its hazards.

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 5/11



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Product description:

Density at 68 °F: Not applicable (N/A) *

Relative density at 68 °F: 1.55

Dynamic viscosity at 68 °F:

Not applicable (N/A) *

Kinematic viscosity at 68 °F:

Not applicable (N/A) *

Kinematic viscosity at 104 °F: >20.5 mm²/s

Concentration: Not applicable (N/A) *

pH: 6 (at 10 %)

Vapour density at 68 °F:

Partition coefficient n-octanol/water 68 °F:

Solubility in water at 68 °F:

Not applicable (N/A) *

Not applicable (N/A) *

Solubility properties: Miscible

Decomposition temperature: Not applicable (N/A) *
Melting point/freezing point: Not applicable (N/A) *

Flammability:

Flash Point: Non-applicable

Flammability (solid, gas): Not applicable (N/A) *

Autoignition temperature: 815 °F

Lower flammability limit:

Upper flammability limit:

Not applicable (N/A) *

Not applicable (N/A) *

Explosive (Solid):

Lower explosive limit: Not applicable (N/A) * Upper explosive limit: Not applicable (N/A) *

Particle characteristics:

Median equivalent diameter: Not applicable (N/A) *

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Not applicable (N/A) *

Corrosive to metals:

Not applicable (N/A) *

Heat of combustion:

Not applicable (N/A) *

Aerosols-total percentage (by mass) of flammable

Not applicable (N/A) *

Aerosois-total percentage (by mass) of flammable

components:

Other safety characteristics:

Surface tension at 68 °F: Not applicable (N/A) * Refraction index: Not applicable (N/A) *

*Not applicable (N/A) due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 6/11



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 10: STABILITY AND REACTIVITY (continued)

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Heating may cause a fire or explosion	Avoid direct impact	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Precaution	Avoid alkalines, heavy metals, reducing agents, peroxide accelerating agents

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Exposure to this product can cause cancer. For more specific information on the possible health effects see section 2.
 - IARC: Glass, oxide, chemicals (1); Carbon black (2B); Dibenzoyl peroxide (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- CONTINUED ON NEXT PAGE -

G- Specific target organ toxicity (STOT)-repeated exposure:



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not applicable (N/A)

Specific toxicology information on the substances:

Identification	Acute toxicity		Genus
Dibenzoyl peroxide	LD50 oral	7710 mg/kg	Rat
CAS: 94-36-0	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L	
Carbon black	LD50 oral	>5000 mg/kg	
CAS: 1333-86-4	LD50 dermal	>5000 mg/kg	
	LC50 inhalation	>5 mg/L	

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Ecotoxicity (aquatic and terrestrial, where available):

Acute toxicity:

Identification	Concentration	Species	Genus
Dibenzoyl peroxide	LC50 0.0602 mg/L (96 h)	Oncorhynchus mykiss	Fish
CAS: 94-36-0	EC50 0.11 mg/L (48 h)	Daphnia magna	Crustacean
	EC50 0.071 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Carbon black	LC50 1000 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 1333-86-4	EC50 5600 mg/L (24 h)	Daphnia magna	Crustacean
	EC50 Not applicable (N/A)		

12.2 Persistence and degradability:

Substance-specific information:

Identification	Identification Degradability		Biodegradability	
Dibenzoyl peroxide	BOD5	Not applicable (N/A)	Concentration	Not applicable (N/A)
CAS: 94-36-0	COD	Not applicable (N/A)	10 days	cellPeriodoTesteoCont enido
	BOD5/COD	Not applicable (N/A)	% Biodegradable	68 %

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Dibenzoyl peroxide	Koc	6309.57	Henry	Not applicable (N/A)
CAS: 94-36-0	Conclusion	Immobile	Dry soil	Not applicable (N/A)
	Surface tension	Not applicable (N/A)	Moist soil	Not applicable (N/A)

12.5 Results of PBT and vPvB assessment:

Non-applicable

12.6 Other adverse effects:

Not described

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 8/11



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Disposal methods:

IT IS THE RESPONSIBILITY OF THE WASTE GENERATOR TO EVALUATE WHETHER HIS WASTES ARE HAZARDOUS BY CHARACTERISTICS OR LISTING.

Waste management (disposal and evaluation):

Follow RCRA framework and EPA regulation for to ensure that hazardous waste is managed safely and properly. Waste should not be disposed of to drains. Remind, It is the responsibility of the waste generator to evaluate whether his wastes are hazardous by characteristics or listing. See section 6 for further information about Accidental release measures.

Regulations related to waste management:

Legislation related to waste management:

40 CFR Solid Wastes - Part 239 through 282.

State regulatory requirements for generators may be more stringent than those in the federal program. Be sure to check the state's policies.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to 49 CFR on the Transport of Dangerous Goods:



14.1 UN number: UN3077

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Dibenzoyl peroxide)

14.3 Transport hazard class(es):

Labels: 9

14.4 Packing group, if applicable: III14.5 Marine pollutant: Yes

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection

with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

Limited quantities: 5 kg

Under 49 CFR 171.4, Except when transporting aboard a vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicles, rail

cars, and aircraft

14.7 Transport in bulk (according to Not applicable (N/A)

Annex II of MARPOL 73/78 and

the IBC Code):

Transport of dangerous goods by sea:

With regard to IMDG 41-22:

14.1 UN number: UN3077

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Dibenzoyl peroxide)

1/2

14.3 Transport hazard class(es): 9 Labels: 9

14.4 Packing group, if applicable: III14.5 Marine pollutant: Yes

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises

Special regulations: 335, 966, 274, 967, 969

EmS Codes: F-A, S-F
Physico-Chemical properties: see section 9

Limited quantities: 5 kg

Segregation group: Not applicable (N/A)

14.7 Transport in bulk (according to Not applicable (N/A)

Annex II of MARPOL 73/78 and

the IBC Code):

Transport of dangerous goods by air:

With regard to IATA/ICAO 2024:

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 9/11



Sure-Set CIC-1200A (Acrylic) part B



Revised: 2/5/2024 Version: 4 (Replaced 3) Date of compilation: 12/14/2022

SECTION 14: TRANSPORT INFORMATION (continued)



14.1 UN number: UN3077

14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Dibenzoyl peroxide)

14.3 Transport hazard class(es):

Labels: 9

Ш 14.4 Packing group, if applicable: 14.5 Marine pollutant: Yes

14.6 Special precautions which a user needs to be aware of, or needs to comply with, in connection

with transport or conveyance either within or outside their premises

Physico-Chemical properties: see section 9

Transport in bulk (according to Not applicable (N/A)

Annex II of MARPOL 73/78 and

the IBC Code):

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question:

- CALIFORNIA LABOR CODE The Hazardous Substances List: Dibenzoyl peroxide (94-36-0); Carbon black (1333-86-4)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Birth defects or other reproductive harm: Not applicable (N/A)
- California Proposition 65 (the Safe Drinking Water and Toxic Enforcement Act of 1986) Cancer: Not applicable (N/A)
- CANADA-Domestic Substances List (DSL): Dibenzoyl peroxide (94-36-0); Carbon black (1333-86-4)
- CANADA-Non-Domestic Substances List (NDSL): Not applicable (N/A)
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Reportable Quantities: Not applicable
- Hazardous Air Pollutants (Clean Air Act): Not applicable (N/A)
- Massachusetts RTK Substance List: Dibenzoyl peroxide (94-36-0); Carbon black (1333-86-4)
- Minnesota Hazardous substances ERTK: Dibenzoyl peroxide (94-36-0); Carbon black (1333-86-4)
- New Jersey Worker and Community Right-to-Know Act: Dibenzoyl peroxide (94-36-0); Carbon black (1333-86-4)
- New York RTK Substance list: Dibenzoyl peroxide (94-36-0)
- NTP (National Toxicology Program): Not applicable (N/A)
- OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096): Not applicable (N/A)
- Pennsylvania Worker and Community Right-to-Know Law: Dibenzoyl peroxide (94-36-0); Carbon black (1333-86-4)
- Rhode Island Hazardous substances RTK: Not applicable (N/A)
- The Toxic Substances Control Act (TSCA): Dibenzoyl peroxide (94-36-0); Carbon black (1333-86-4)
 Toxic chemical release reporting under EPCRA section 313 (40 CFR Part 372): Dibenzoyl peroxide (94-36-0)

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information provided in this safety data sheet as a foundation for conducting workplace-specific risk assessments. These assessments will help establish the appropriate risk prevention measures for handling, using, storing, and disposing of this product.

Other legislation:

Take into consideration other applicable federal, state, and local laws and local regulations.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with Appendix d to §1910.1200 - Safety data sheets

Texts of the legislative phrases mentioned in section 2:

H351: Suspected of causing cancer.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

29 CFR 1910.1200:

Carc. 2: H351 - Suspected of causing cancer.

Eye Irrit. 2A: H319 - Causes serious eye irritation.

Org. Perox. B: H241 - Heating may cause a fire or explosion.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Advice related to training:

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 10/11



Sure-Set CIC-1200A (Acrylic) part B



Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3)

SECTION 16: OTHER INFORMATION (continued)

According to 29 CFR 1910. 1200, training on chemical hazards is necessary for employees using this product. This training will facilitate their understanding and interpretation of the safety data sheet, as well as the product label.

Principal bibliographical sources:

Occupational Safety & Health Administration (OSHA).

Abbreviations and acronyms:

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor LD50: Lethal Dose 50

CL50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient Koc: Partition coefficient of organic carbon IARC: International Agency for Research on Cancer

Date of compilation: 12/14/2022

Revised: 2/5/2024

Manufacturer Disclaimer: The information contained in this safety date sheet ("SDS") is based on sources, technical knowledge and current legislation. Furthermore, is based on data believed to be accurate; thus, the company does not assume any liability for its accuracy. The information provided herein cannot be considered a guarantee of the properties of this product and the same is simply a description of the security requirements. The use, occupational methodology and/or conditions for users of this product are not within our awareness or control. It is ultimately the responsibility of the user(s) to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information of this SDS only refers to this product, which should not be used for purposes other than those specified. Finally, the manner in which this product is used and whether there is any infringement of patents is the sole responsibility of the user(s).

END OF SAFETY DATA SHEET

Date of compilation: 12/14/2022 Revised: 2/5/2024 Version: 4 (Replaced 3) Page 11/11